

Metal Framing Components

DoP Reference: Speedline Metal Framing Components UKCA DOP 08-09-2021 V1

- UNIQUE IDENTIFICATION CODE OF PRODUCT TYPE:** Metal Framing Components
- TYPE, BATCH OR SERIAL NUMBER OR OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT – ARTICLE 11(4)**
C Studs, HD C Studs, I Studs, Acoustic Studs, Tracks, Partition Braces, Wall and Ceiling Liners, MF's, Angles, Clamping strips and Resilient Bars
Product marked: B69 4HF SPEEDLINE "Product Code / Length / Product Description / Time / Date" as traceability identifier
- INTENDED USE OR USES OF THE CONSTRUCTION PRODUCT, IN ACCORDANCE WITH THE APPLICABLE DESIGNATED TECHNICAL SPECIFICATION**
Metal framing components for gypsum plasterboard systems

PRODUCTS WITHIN THE SCOPE OF THIS DECLARATION				
Product Description	Product Code	Material Thickness	Cross Section Designation	Drawing Reference
C Studs				
50 mm C Stud	SPS50	0.50 mm	C/32/50/34	PS50
60 mm C Stud	SPS60	0.50 mm	C/32/60/34	PS60
70 mm C Stud	SPS70	0.50 mm	C/32/70/34	PS70
73 mm C Stud	SPS73	0.50 mm	C/32/73/34	PS73
75 mm C Stud	SPS75	0.50 mm	C/32/75/34	PS75
92 mm C Stud	SPS92	0.50 mm	C/32/92/34	PS92
146 mm C Stud	SPS146	0.50 mm	C/32/146/34	PS146
HD C Studs				
70 mm HD C Stud	SPSHD70	0.70 mm	C/32/70/34	PSHD70
146 mm HD C Stud	SPSHD146	0.70 mm	C/32/146/34	PSHD146
I Studs				
50 mm I Stud	SPI50	0.60 mm	I/38/50/38	PI50
60 mm I Stud	SPI60	0.60 mm	I/38/60/38	PI60
70 mm I Stud	SPI70	0.70 mm	I/38/70/38	PI70
92 mm I Stud	SPI92	0.90 mm	I/38/92/38	PI92
146 mm I Stud	SPI146	0.90 mm	I/38/146/38	PI146
Acoustic Studs				
70 mm Acoustic Stud	SAS70	0.50 mm	C/48/70/50	AS70
92 mm Acoustic Stud	SAS92	0.50 mm	C/48/92/50	AS92
Tracks				
52 mm Standard Track	SPT52	0.50 mm	U/25/52/25	PT52
52 mm Deep Track	SPDT52	0.50 mm	U/32/52/32	PDT52
52 mm Ex Deep Track	SPEDT52	0.50 mm	U/50/52/50	PEDT52
62 mm Standard Track	SPT62	0.50 mm	U/25/62/32	PT62
62 mm Deep Track	SPDT62	0.50 mm	U/32/62/32	PDT62
62 mm Ex Deep Track	SPEDT62	0.50 mm	U/50/62/50	PEDT62
72 mm Standard Track	SPT72	0.50 mm	U/25/72/25	PT72
72 mm Deep Track	SPDT72	0.50 mm	U/32/72/32	PDT72
72 mm Ex Deep Track	SPEDT72	0.50 mm	U/50/72/50	PEDT72
72 mm Long Leg Track	SPXDT72	0.70 mm	U/70/72/70	PXDT72
75 mm Standard Track	SPT75	0.50 mm	U/25/75/25	PT75
75 mm Deep Track	SPDT75	0.50 mm	U/32/75/32	PDT75
75 mm Ex Deep Track	SPEDT75	0.50 mm	U/50/75/50	PEDT75
77 mm Standard Track	SPT77	0.50 mm	U/25/77/25	PT77
94 mm Deep Track	SPT94	0.50 mm	U/32/94/32	PT94
94 mm Ex Deep Track	SPEDT94	0.70 mm	U/50/94/50	PEDT94
94 mm Long Leg Track	SPXDT94	0.70 mm	U/70/94/70	PXDT94
148 mm Deep Track	SPT148	0.50 mm	U/32/148/32	PT148
148 mm Ex Deep Track	SPDT148	0.50 mm	U/50/148/50	PDT148
148 mm Long Leg Track	SPXDT148	0.70 mm	U/70/148/70	PXDT148
Partition Brace				
Partition Brace	SPB	0.70 mm	U/6/96/6	PB
Wall and Ceiling Liner				
Wall and Ceiling Liner	SWL507	0.50 mm	C/18/45/18	WL507
Perimeter Track	SWL60	0.50 mm	U/18/19/28	WL60

MF Ceiling Furring Perimeter Channel Primary Channel	SSMF5 SSMF6A SSMF7	0.50 mm 0.50 mm 0.70 mm	W/10/26/51/26/10 U/19/26/28 U/15/45/15	SMF5 SMF6A SMF7
Angles 19 x 19 Angle 22 x 22 Angle 25 x 25 Angle 50 x 25 Angle 50 x 50 Angle 50 x 50 Angle	SSL02 SSL04 SSSL06 SSL12 SSL13 SSL26	0.80 mm 0.80 mm 0.80 mm 0.80 mm 0.80 mm 1.50 mm	L/19/19 L/22/22 L/25/25 L/50/25 L/50/50 L/50/50	SL02 SL04 SSL06 SL12 SL13 SL26
Clamping Strip Clamping Strip	SPCS20	0.5 mm	C4/19/4	PCS20
Resilient Bar Resilient bar	SRB565	0.50 mm	W/9/45/17/19	RB565


4. **NAME, REGISTERED TRADE NAME OR TRADE MARK AND CONTACT ADDRESS OF THE MANUFACTURER – ARTICLE 11(5)**
SIG Trading Ltd, Adsetts House, 16 Europa View, Sheffield Business Park, Sheffield, S9 1XH
5. **NAME AND ADDRESS OF THE AUTHORISED REPRESENTATIVE WHOSE MANDATE COVERS THE TASKS SPECIFIED IN ARTICLE 12(2)**
N/A
6. **SYSTEM OF ASSESSMENT AND VERIFICATION OF CONSTANCY OF THE CONSTRUCTION PRODUCTS AS SET OUT IN ANNEX V**
4
7. **NAME AND IDENTIFICATION NUMBER OF THE APPROVED BODY CONCERNING A CONSTRUCTION PRODUCT COVERED BY A DESIGNATED STANDARD**
N/A
8. **NAME AND IDENTIFICATION NUMBER OF THE UK TECHNICAL ASSESSMENT BODY CONCERNING A CONSTRUCTION PRODUCT COVERED BY A TECHNICAL ASSESSMENT DOCUMENT**
N/A
9. **DECLARED PERFORMANCE ACCORDING TO:**
EN 14195:2005/AC:2006

Characteristics	Clause	Performance
Reaction to fire	4.1	Euro class A1
Flexural Tensile Strength	4.2	No minimum yield strength specified in BS EN 10346:2015 for DX51D +Z140 NA-C
Durability	4.4	Zinc coating (Z140) in accordance with BS EN 10346:2015

Systems of attestation of conformity	
Attestation of conformity Product Reaction to Fire	System AoC Level 4 AoC Level 4

The performance of the product identified in point 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of SPEEDLINE DRYWALL, SIG Trading Ltd:



Steve Marr - SIG UK Compliance Director
08/09/2021, Sheffield