

## GTEC dB Board

No. UKSI-00520-007

1. Unique identification code of the product-type:

GTEC dB Board (Gypsum Plasterboard Types D and I)

2. Intended use/es:

General building construction

3. Manufacturer:

Etex Building Performance Limited, Marsh Lane, Easton-in-Gordano, Bristol, BS20 ONE, UK

4. Not applicable

5. System/s of AVCP:

Systems 4

6a. Harmonised standard: BS EN 520:2004+A1:2009

6b. Not applicable

7. Declared performance/s:

Essential characteristics		Performance		Harmonised Technical Specification
Flexural strength		Transverse:	Longitudinal:	EN 520:2004+A1:2009
	12.5mm	≥210N	≥550N	
	15mm	≥250N	≥650N	
Shear Strength		NPD		
Reaction to fire		Euroclass A2-s1,d0		EN 520:2004+A1:2009
Airborne Sound Insulation		see literature		
Acoustic Absorption		see literature		
Water vapour permeability (μ)		10		EN 12524:2000
Thermal resistance		0.25 W/m.K		EN 12524:2000
Impact Resistance		see literature		

**8.** Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

## **ORIGINAL DECLARATION:**

Signed for and on behalf of Siniat Limited by: Jean-Michel Desmoutier, Managing Director Bristol, 01/07/2013



## **REVIEWED DECLARATION:**

Signed for and on behalf of Etex Building Performance Limited by: Nigel Morrey, Technical Director Bristol, UK, 15/04/2019

3

Please check that this is the current version by visiting the Siniat website. For archived versions please contact technical services.



